

Publications:

1991

1. Retinoic Acid Receptor Transcripts in Human Umbilical Vein Endothelial Cells
Fesus, L., Nagy, L., Basilion, J. and Davies, P.J.A.
Biochem. Biophys. Res. Comm. 179:32-38 (1991)

1994

2. Tissue Transglutaminase: an effector in physiologic cell death
Nagy, L., Thomazy, V. and Davies, P.J.A.
Cancer Bulletin 46:136-140 (1994) INVITED REVIEW

1995

3. Activation of Retinoid X Receptors Induces Apoptosis in HL-60 Cell Lines
Nagy, L., Thomazy, V.A., Shipley, G.L., Fesus, L., Lamph, W., Heyman, R.A., Chandraratna, R.A.S. and Davies, P.J.A.
Molecular and Cellular Biology 15:3540-3551 (1995)

1996

4. Identification and Characterization of a Versatile Retinoid Response Element (Retinoic Acid Response Element/Retinoid X Receptor Response Element) in the Mouse Tissue Transglutaminase Gene Promoter
Nagy, L., Saydak, M.M., Shipley, N., Lu, S., Basilion, J.P., Yan, Z-H., Syka, P., Chandraratna, R.A.S., Stein, J.P., Heyman, R.A. and Davies, P.J.A.
Journal of Biological Chemistry 271 (8): 4355-4365 (1996)
5. Retinoid-regulated Expression of BCL-2 and Tissue Transglutaminase During Differentiation and Apoptosis of Human Myeloid Leukemia (HL-60) Cells
Nagy, L., Thomazy, V.A., Heyman, R.A., Chandraratna, R.A.S. and Davies, P.J.A.
Leukemia Research 20 (6): 499-505 (1996)
6. Retinoic acid induction of the tissue transglutaminase promoter is mediated by a novel response element
Yan, H-Z., Noonan, S., Nagy, L., Davies, P.J.A. and Stein, J.P.
Molecular and Cellular Endocrinology 120: 203-212 (1996)

1997

7. Nuclear receptor repression mediated by a complex containing SMRT, mSin3A and histone deacetylase
Nagy, L., Kao, H-Y., Chakravarti, D., Lin, R.J., Hassig, C.A., Ayer, D.E., Schreiber, S.L. and Evans, R.M.
Cell 89 (3): 373-380 (1997)
8. Lack of induction of tissue transglutaminase but activation of the preexisting enzyme in c-myc-induced apoptosis of CHO cells

Balajthy, Z., Kedei, N., **Nagy, L.**, Davies P.J.A and Fesus., L.
Biochem. Biophys. Res. Comm. 236:280-284 (1997)

9. Nuclear receptor co-activator ACTR is a novel histone acetyltransferase and forms a multimeric activation complex with P/CAF and CBP/p300

Chen, H., Lin, R., Schiltz, L., Chakravarti, D., Nash, A., **Nagy, L.**, Privalsky, M.L., Nakatani, Y. and Evans, R.M.

Cell 90 (3): 569-580 (1997)

10. The promoter of the mouse tissue transglutaminase gene directs tissue-specific, retinoid regulated and apoptosis linked expression

Nagy, L., Thomazy, A.V., Saydak, M.M., Stein, J.P. and Davies, P.J.A.

Cell Death and Differentiation 4 (7): 534-547 (1997)

1998

11. TNF- α modulates expression of the tissue transglutaminase gene in liver cells

Kuncio, GS., Tsyganskaya, M., Zhu, J., Liu, S-L., **Nagy, L.**, Thomazy, VA., Davies, PJA. And Zern, MA

American Journal of Physiology 37(2): G240-252 (1998)

12. Retinoid-induced apoptosis in normal and neoplastic tissues

Nagy, L., Thomazy, V.A., Heyman, R.A and Davies, P.J.A.

Cell Death and Differentiation 5(1): 11-19 (1998) INVITED REVIEW

13. A transgenic mouse model for the study of apoptosis during limb development

Nagy, L., Thomazy, V. A, and Davies, P.J.A.

Cell Death and Differentiation 5(1): 126 (1998) INVITED REVIEW

14. Role of the histone deacetylase complex in Acute Promyelocytic Leukemia

Lin, J.R., **Nagy, L.**, Satoshi, I., Shao, W., Miller, W., and Evans, R.M.

Nature 391:811-814 (1998)

15. Oxidized LDL regulates macrophage gene expression through ligand activation of PPAR γ

Nagy, L., Tontonoz, P., Alvarez, JGA., Chen, H. and Evans, RM.

Cell 93(2): 229 -240 (1998)

16. PPAR γ promotes monocyte/macrophage differentiation and uptake of oxidized LDL

Tontonoz, P.*, **Nagy, L.***, Alvarez, JGA., Thomazy, VA. and Evans, RM.

Cell 93(2): 241 - 252 (1998)

* joint first authors

1999

17. Essential roles of retinoic acid signaling in interdigital apoptosis and control of BMP-7 expression in mouse autopods

Dupe, V., Ghyselinck, N.B., Thomazy, V., **Nagy, L.**, Davies, P.J.A., Chambon, P. and Mark, M.

Developmental Biology 208:30-43 (1999)

18. Regulation of macrophage gene expression by PPAR γ : implications for cardiovascular disease

Tontonoz, P and **Nagy, L.**

Current Opinion in Lipidology 10(6):485-490 (1999) INVITED REVIEW

19. Molecular mechanisms of nuclear hormone receptor action in health and disease

Nagy, L.

B.I.F. Futura (Boehringer Ingelheim Funds) 14:257-265 (1999) INVITED REVIEW

20. Mechanism of co-repressor binding and release from nuclear hormone receptors

Nagy, L., Kao H-Y., Love, JD, , Li, C., Banayo, E., Gooch, JT., Chatterjee, VKK, Evans, RM and Schwabe, JWR

Genes and Development 13(24): 3209-3216 (1999)

2000

21. Transcriptional repression by nuclear receptors: mechanisms and role in disease

Love, J.D., Gooch, J.T., **Nagy, L.**, Chatterjee, V.K.K. And Schwabe, J.W.R

Biochem. Soc. Trans. 28: 390-396 (2000) INVITED REVIEW

22. A role for PPAR α in oxidized phospholipid induced synthesis of MCP-1 and IL-8 by endothelial cells

Lee, H, Shi, W, Tontonoz, P, Wang, S, Subbanagounder, G., Hedrick, L., Hama, S., Borromeo, C., Evans, RM., Berliner, JA and **Nagy, L.**

Circulation Research 87: 516-521 (2000)

23. Divergent signaling pathways regulate the promoter of tissue transglutaminase

Szegezdi, E, Szondy, Z, **Nagy, L.**, Nemes, Z., Friis, RR., Davies, PJA and Fesus, L.

Cell Death and Differentiation 7(12):1225-1233 (2000)

2001

24. PPAR γ dependent and independent effects on macrophage gene expression in lipid metabolism and inflammation

Chawla, A., Barak, Y., **Nagy, L.**, Liao, D. Tontonoz, P., and Evans, RM

Nature Medicine 7(1):48-53 (2001)

25. Tissue specific effects of RXR and PPAR-gamma ligands on metabolic gene expression in diabetic rodents

Ahuja, HS, Crombie, DL, Boehm, M, Leibowitz, MD, Heyman, RA, Depre, C, **Nagy, L.**, Tontonoz, P and Davies, P.J.A.

Molecular Pharmacology 59 (4) 765-773 (2001)

26. A PPAR γ -LXR-ABCA1 pathway in macrophages is involved in cholesterol efflux and atherogenesis

Chawla, A, Boisvert, W.A., Lee, C-H., Laffitte, B., Barak, Y., Joseph, S.B., Nagy, L., Liao, D., Edwards, P.A., Curtiss, L.K., Evans, R.M., and Tontonoz, P.
Molecular Cell 7: 161-171 (2001)

2002

27. The structural basis for the specificity of retinoid-X-receptor selective agonists: new insights into the role of helix H12.

Love, J.D., Gooch, J.T., Benko, S., Nagy, L., Chatterjee, V.K.K., Evans, R.M. and Schwabe, J.W.R.

Journal of Biological Chemistry 277(13):11385-11391 (2002)

28. Lipid sensors in atherosclerosis: The role of nuclear hormone receptors in disease progression

Szanto, A and Nagy, L.

B.I.F. Futura (Boehringer Ingelheim Funds) 17:129-136 (2002) INVITED REVIEW

2003

29. The retinoid X receptor and its ligands: versatile regulators of metabolic function, cell differentiation and cell death

Ahuja, A.S., Szanto, A., Nagy, L. and Davies, P.J.A.

Journal of Biological Regulators and Homeostatic Agents 17:29-45 (2003)
INVITED REVIEW

30. Molecular determinants of the balance between co-repressor and co-activator recruitment to the retinoic acid receptor

Benko S., Love, J.D., Beládi M., Schwabe, J.W.R. and Nagy, L.,

Journal of Biological Chemistry 278: 43797-43806 (2003)

2004

31. The mechanism of nuclear receptor molecular switch

Nagy, L. and Schwabe J.W.R.

Trends in Biochemical Sciences 29(6):317-324 (2004)

32. Activation of PPAR γ specifies a dendritic cell subtype capable of enhanced induction of iNKT cell expansion

Szatmari, I., Gogolak, P., Im, S. J., Dezso, B., Rajnavolgyi, E. and Nagy, L.

Immunity 21:95-106 (2004)

33. Transcriptional regulation of human CYP27 integrates retinoid, PPAR and LXR signaling

Szanto, A., Benko, S., Szatmari, I., Balint, L.B., Furtos, I., Rühl, R., Molnar, S., Csiba, L., Garuti, R., Calandra, S., Larsson, H., Diczfalusy, U. and **Nagy, L.**
Molecular and Cellular Biology 24(18):8154-8166 (2004)

34. Retinoid X Receptors: X-ploring their (patho)physiological functions
Szanto A., Nakar, V., Shen, Q., Uray, I.P., Davies, P.J.A. and **Nagy, L.**
Cell Death and Differentiation 11:S126-S143 (2004) INVITED REVIEW

2005

35. Retinoids potentiate PPAR γ action in differentiation, gene expression and lipid metabolic processes in developing myeloid cells
Szanto, A and **Nagy, L.**
Molecular Pharmacology 67(6):1935-1943 (2005)

36. Arginine methylation provides epigenetic transcription memory for retinoid-induced differentiation in myeloid cells
Balint L. B., Szanto, A., Madi, A., Bauer, U-M., Gabor, P., Benko, S., Puskás, L., Davies, P.J.A. and **Nagy, L.**
Molecular and Cellular Biology 25:5648-5663 (2005)

37. Genome-wide localization of histone 4 arginine 3 methylation in a differentiation primed myeloid leukemia cell line.
Balint L. B., Gabor, P. and **Nagy, L.**
Immunobiology 210:141-152 (2005)

38. Flow cytometric detection of intracellular coagulation factor XIII-A: its utilization in the diagnosis and monitoring of monocytic acute myeloid leukemias.
Kappelmayer, J., Simon, A., Katona, E., Szanto, A., **Nagy, L.**, Kiss, A., Kiss, Cs. and Muszbek, L.
Thrombosis and Haemostasis 94(2):454-459 (2005)

39. Opposite expression of Factor XIII-A gene in classical and alternative activation of macrophages
Torocsik, D., Bardos, H., **Nagy, L.** and Adany, R.
Cellular and Molecular Life Sciences 62:2132-2139 (2005)

40. Atherosclerosis and lipid peroxidation (Editorial)
Nagy, L. and Spiteller, G.
Molecular Nutrition and Food Research 49: 989-991 (2005) EDITORIAL

41. Roles for lipid activated transcription factors
Nagy, L. and Szanto, A
Molecular Nutrition and Food Research 49:1072-1074 (2005) INVITED REVIEW

42. Accelerated recovery of 5-fluorouracil-damaged bone marrow after rosiglitazone treatment

Djazayeri, K., Szilvassy, Z., Peit, B., Nemeth, J., **Nagy, L.**, Kiss, A., Szabo, B. and Benko, I.,
European Journal of Pharmacology 522:122-129 (2005)

2006

43. SLAM/SLAM interactions inhibit CD40 induced production of inflammatory cytokine in monocyte derived dendritic cells
Réthi, B., Gogolak, P., Szatmári, I., Veres, A., **Nagy, L.**, Rajnavölgyi, E., Terhorst, C. and Lányi, A.

Blood 107: 2821-2829 (2006)

44. Selective modulators of PPAR activity as new therapeutic tools in metabolic diseases
Balint, L. B. and **Nagy, L.**
Endocrine, Metabolic and Immune Disorders-Drug Targets 6:33-43 (2006)
INVITED REVIEW

45. Twenty years of nuclear receptors (Meeting report)

Nagy, L., Schüle, R., and Gronemeyer, H.

EMBO Reports 7(6): 579-584 (2006)

46. PPAR γ , a lipid activated transcription factor as a regulator of dendritic cell function

Szatmari, I., Rajnavölgyi, E. and **Nagy, L.**

Annals of the New York Academy of Sciences 1088: 207-218 (2006) INVITED REVIEW

47. ChIP on-beads: a robust flow-cytometry based method for the evaluation of chromatin immunoprecipitation results

Szekvolgyi, L., Balint L., B., Imre, L., Goda, K., Szabo, M., **Nagy, L.** and Szabo, G.,

Cytometry 69A:1086-1091 (2006)

48. At the crossroad of lipid metabolism and inflammation

Szeles, L., Torocsik, D. and **Nagy, L.**

B.I.F. Futura (Boehringer Ingelheim Funds) 21:79-85 (2006) INVITED REVIEW

49. PPAR γ regulated ABCG2 expression confers cytoprotection to human dendritic cells

Szatmari, I., Vámosi, G., Brazda, P., Balint L. B., Benko, S., Széles, L., Jeney, V., Özvegy-Laczka, G., Szántó, A., Barta, E., Balla, J., Sarkadi, B. and **Nagy, L.**

Journal of Biological Chemistry 281:23812-23823 (2006)

50. PPAR γ controls CD1d expression by turning on retinoic acid synthesis in developing human dendritic cells

Szatmari, I., Pap, A., Ruehl, R., Ma, J.X., Illarionov, P.A., Besra, G.S., Rajnavölgyi, E., Dezso, B. and **Nagy, L.**

Journal of Experimental Medicine 203:2351-2362 (2006)

51. Non-DNA binding, dominant-negative, human PPAR γ mutations cause lipodystrophic insulin resistance

Agostini, M., Schoenmakers, E., Mitchell, C.S., Szatmari, I. Savage, D., Smith, A.G., Rajanayagam, O., Semple, R., Luan, J., L Bath, R.K., Zalin, A.N, Labib, M., Kumar, S., Simpson, H., Blom, D., Marais, D., Schwabe, J.W.R., Baroso, I., Trembath, R., Wareham, N., **Nagy, L.**, Gurnell, M., O'Rahilly, S. and Chatterjee, V.K.K.
Cell Metabolism 4:303-311 (2006)

2007

52. Differentiation of CD1a⁻ and CD1a⁺ monocyte-derived dendritic cells is biased by lipid environment and PPAR γ

Gogolak, P., Rethi, B., Szatmari, I., Lanyi, A., Dezso, B., **Nagy, L.**, Rajnavolgyi, E.
Blood 109:643-652 (2007)

53. PPAR γ in immunity and inflammation: cell types and diseases

Széles, L., Töröcsik, D. and **Nagy, L.**

BBA- Molecular and Cell Biology of Lipids 1771:1014-1030 (2007) INVITED REVIEW

54. Ribonucleoprotein-masked nicks at 50 kbp intervals in the eukaryotic genomic DNA
Szekvolgyi, L, Rakosy, Z., Balint L., B., Kokai, E., Imre, L., Vereb, G., Bacso, Z., Goda, K., Balazs, M., Dombradi, V., **Nagy, L.** and Szabo, G

Proc. Natl. Acad. Sci. USA 104:14964-14969 (2007)

55. PPAR γ regulates the function of human dendritic cells primarily by altering lipid metabolism

Szatmari, I., Töröcsik, D., Agostini, M., Nagy, T., Gurnell, M., Barta, E., Chatterjee, K.K.V. and **Nagy, L.**

Blood 110:3271-3280 (2007)

56. Monoclonal antibody proteomics: discovery and prevalidation of chronic obstructive pulmonary disease biomarkers in a single step

Csanky, E., Olivova, P., Rajnavolgyi, E., Hempel, W., Tardieu, N., Katalin, E. T., Jullien, A., Malderez-Bloes, C., Kuras, M., Duval, M. X., **Nagy, L.**, Scholtz, B., Hancock, W., Karger, B., Guttman, A., Takacs, L.

Electrophoresis 28(23):4401-4407 (2007)

2008

57. Nuclear receptors, transcription factors linking lipid metabolism and immunity: the case of PPAR γ

Varga, T. and **Nagy, L.**

European Journal of Clinical Investigations 38:695-707 (2008) INVITED REVIEW

58. Functional ABCG1 expression induces apoptosis in macrophages and other cell types
Seres, L., Cserepes, J., Elkind, N.B., Töröcsik, D., **Nagy, L.**, Sarkadi, B. and Homolya, L.

BBA-Biomembranes 1778(10): 2378-2387 (2008)

59. Nuclear receptor signaling in dendritic cells connects lipids, the genome and immune function

Szatmari, I. and **Nagy, L.**

The EMBO Journal 27(18):2353-2362 (2008) INVITED REVIEW

60. Structural basis for the activation of PPAR γ by oxidized fatty acids

Itoh, T., Fairall, L. Amin, A., Inaba, Y., Szanto, A., Balint, L.B., **Nagy, L.** Yamamoto, K. and Schwabe, J.W.R.

Nature Structural and Molecular Biology 15:924-931 (2008)

61. Endocannabinoids enhance lipid synthesis in human sebocytes via cannabinoid receptor-2-mediated signaling

Dobrosi, N., Tóth, B.I., Kósa, A., Géczy, T, Nagy, G., Dózsa, A., **Nagy, L.,** Zouboulis, C.C., Paus,P., Kovács, L., and Bíró, T.

FASEB Journal 22:1-11 (2008)

62. The many faces of PPAR γ : anti-inflammatory by any means?

Szanto, A and **Nagy, L**

Immunobiology 213:789-803 (2008)

63. Potential Therapeutic Use of PPAR γ -Programed Human Monocyte-Derived Dendritic Cells in Cancer Vaccination Therapy

Gyongyosi, A and **Nagy, L.**

PPAR Research ID:473804 (2008) INVITED REVIEW

2009

64. Transient Receptor Potential Vanilloid-1 signaling as a regulator of human sebaceous gland biology

Toth, B.I., Geczy, T, Griger, Z, Dozsa, A, Seltsmann, H, Kovacs, L., **Nagy, L.,** Zouboulis, C.C., Paus, R and Biro, T.,

Journal of Investigative Dermatology 129:329-339 (2009)

65. 1,25-dihydroxyvitaminD3 is an autonomous regulator of the transcriptional changes leading to a tolerogenic dendritic cell phenotype

Széles, L., Keresztes, G., Töröcsik, D., Balajthy, Z., Krenács, L., Póliska, S., Steinmeyer, A., Zuegel, A., Pruenster, M., Rot, A. and **Nagy, L.**

Journal of Immunology 182(4):2074-2083 (2009)

66. Oxysterol signaling links cholesterol metabolism and inflammation via the Liver X Receptor in macrophages

Töröcsik, D, Szanto, A and **Nagy, L**

Molecular Aspects of Medicine 30: 134-152 (2009) INVITED REVIEW

67. Mycobacterium bovis Bacillus Calmette-Guerin infection induces TLR2-dependent PPAR γ expression and activation: functions in inflammation, lipid metabolism and pathogenesis

Almeida, P.E., Silva A.R., Monteiro C.M., Töröcsik D., D'Ávila H, Dezsö B., Magalhães K.G, Castro-Faria-Neto H.C, **Nagy L.**, and Bozza, P.T.

Journal of Immunology 183:1337-1345 (2009)

2010

68. Peripheral blood gene expression patterns discriminate among chronic inflammatory diseases and healthy controls and identify novel targets

Mesko B, Poliska S, Szegedi A, Szekanecz Z, Palatka K, Papp M, **Nagy L**

BMC Medical Genomics 3: p. 15. (2010) IF: 3.766

69. Analyses of association between PPAR gamma and EPHX1 polymorphisms and susceptibility to COPD in a Hungarian cohort, a case-control study.

Penyige A, Poliska S, Csanky E, Scholtz B, Dezsö B, Schmelczer I, Kilty I, Takacs L, **Nagy L**

BMC Medical Genetics 11: p. 152. (2010) IF: 2,439

70. Activation of retinoic acid receptor signaling coordinates lineage commitment of spontaneously differentiating mouse embryonic stem cells in embryoid bodies

Simandi Z, Balint BL, Poliska S, Ruhl R, **Nagy L**

FEBS Letters 584:(14) pp. 3123-3130. (2010) IF: 3,601

71. STAT6 transcription factor is a facilitator of the nuclear receptor PPAR γ -regulated gene expression in macrophages and dendritic cells

Szanto A, Balint L B, Nagy Z, Barta E, Dezsö B, Pap A, Szeles L, Poliska S, Oros M, Evans R M, Barak Y, Schwabe J, **Nagy L**

Immunity 33:(5) pp. 699-712. (2010) IF: 24,221

72. Research Resource: Transcriptome Profiling of Genes Regulated by RXR and Its Permissive and Nonpermissive Partners in Differentiating Monocyte-Derived Dendritic Cells

Szeles L, Poliska S, Nagy G, Szatmari I, Szanto A, Pap A, Lindstedt M, Santegoets SJAM, Ruhl R, Dezsö B, **Nagy L**

Molecular Endocrinology 24:(11) pp. 2218-2231. (2010) IF: 4,889

73. Activation of liver X receptor sensitizes human dendritic cells to inflammatory stimuli

Töröcsik D, Baráth M, Benko S, Széles L, Dezsö B, Póliska S, Hegyi Z, Homolya L, Szatmári I, Lányi A, **Nagy L**

Journal of Immunology 184:(10) pp. 5456-5465. (2010) IF: 5,745

74. Factor XIII-A is involved in the regulation of gene expression in alternatively activated human macrophages

Töröcsik D, Szeles L, Paragh Gy Jr, Rákosy Zs, Bárdos H, **Nagy L**, Balázs M, Inbal A,

Ádány R

Thrombosis and Haemostasis 104:(4) pp. 709-717. (2010) IF: 4,701

2011

75. Live cell fluorescence correlation spectroscopy dissects the role of coregulator exchange and chromatin binding in retinoic acid receptor (RAR) mobility

Brazda P, Szekeres T, Bravics B, Tóth K, Vámosi G, **Nagy L**

Journal of Cell Science 124:(Pt21) pp. 3631-3642. (2011) IF: 6,111

76. Gene expression profiles in peripheral blood for the diagnosis of autoimmune diseases

Mesko B, Poliska S, **Nagy L**

Trends in Molecular Medicine 17:(4) pp. 223-233. (2011) IF: 10,355

77. Peroxisome Proliferator-Activated Receptor gamma-Regulated Cathepsin D Is Required for Lipid Antigen Presentation by Dendritic Cells

Nakken B, Varga T, Szatmari I, Szeles L, Gyongyosi A, Illarionov P, Dezsó B, Gogolak P, Rajnavolgyi E, **Nagy L**

Journal of Immunology 187:(1) pp. 240-247. (2011) IF: 5,788

78. Structural basis for the assembly of the SMRT/NCOR core transcriptional repression machinery

Oberoi J, Fairall L, Watson P, Yang J-C, Czimmerer Z, Kampmann T, Goult B, Greenwood J, Gooch J, Kallenberger B, **Nagy L**, Neuhaus D, Schwabe J W R

Nature Structural & Molecular Biology 18 : (2) pp. 177-184. (2011) IF: 12,712

79. COPD-specific gene expression signatures of alveolar macrophages and also peripheral blood monocytes overlap and correlate with lung function

Poliska S, Csanky E, Szanto A, Szatmari I, Mesko B, Szeles L, Dezsó B, Scholtz B, Podani J, Kilty I, Takacs L, **Nagy L**

Respiration 81:(6) pp. 499-510. (2011) IF: 2,258

80. PPARs are a unique set of fatty acid regulated transcription factors controlling both lipid metabolism and inflammation

Varga T, Czimmerer Z, **Nagy L**

Biochimia et Biophysica Acta-Molecular Basis of Disease 1812:(8) pp. 1007-1022. (2011) IF: 5,387

2012

81. Immunohistochemical detection of Carboxypeptidase-M in epithelioid granuloma-macrophages and foam cells has diagnostic utility, Carboxypeptidase-M is regulated by serum-lipids and CSFS in differentiating macrophages and dendritic cells

Tsakiris, I., Torocsik, D., Gyongyosi, A., Dozsa, A., Szatmari, A., Szanto, A., Soos, G., Nemes, Z., Igali, L., Marton, I., Takats, Z., **Nagy, L**, and Dezsó, B.

Laboratory Investigation 92: (3) pp. 345-361. (2012) IF (2012): 3.961

82. Association of Peroxisome Proliferator-activated Receptor Gamma Polymorphisms to Inflammatory Bowel Disease in a Hungarian cohort

Poliska, S., Penyige, A., Lakatos, P.L. the Hungarian IBD Study Group, Papp, M., Palatka, K., Lakatos, L., Molnar, T. and **Nagy, L.**

Inflammatory Bowel Disease 18: (3) pp. 472-479. (2012) IF (2012): 5.119

83. Nuclear hormone receptors enable macrophages and dendritic cells to sense their lipid environment and shape their immune response

Nagy, L., Szanto, A., Szatmari, I. and Szeles, L.

Physiological Reviews (INVITED REVIEW) 92: (2) pp. 739-789. (2012) IF (2012): 30.17 (2012)

84. Peripheral blood gene expression and IgG glycosylation profiles as markers of tocilizumab treatment in rheumatoid arthritis

Mesko, B., Poliska, S., Szamosi, S., Szekanecz, Z., Podani, J., Varadi, C., Guttman, A. and **Nagy, L.**

Journal of Rheumatology 39: (5) pp. 916-928. (2012) IF (2012): 3.258

85. The triad of success in personalized medicine: pharmacogenomics, biotechnology and regulatory issues from a Central European perspective

Mesko, B., Zahuczky, G **Nagy, L**

New Biotechnology (INVITED REVIEW) 29: (6) pp. 741-750. (2012) IF (2012): 1.706

86. Ethanol increases phosphate-mediated mineralization and osteoblastic transformation of vascular smooth muscle cells

Oros, M., Zavaczki, E., Vadasz, C., Jeney, V., Tosaki, A., Lekli, I., Balla, G., **Nagy, L.** and Balla, J.

Journal of Cellular and Molecular Medicine 16(9):2219-2226 (2012) IF: 4,753

87. Identification of novel markers of human alternative macrophage activation including potential endogenous PPAR γ ligand production mechanisms

Czimmerer, Z, Varga, T., Poliska, S., Nemet, I., Szanto, A. and **Nagy, L.**

Immunobiology 217: 1301-1314 (2012) IF:2.814

88. Would eating carrots protect your liver? A new role involving NKT cells for retinoic acid in hepatitis (Commentary)

Nagy, L., **European Journal of Immunology** 42:1677-1680 (2012) IF: 4.97

2013

89. Nuclear receptor mediated mechanisms of macrophage cholesterol metabolism

Nagy, Z., Czimmerer Z. and **Nagy, L.**

Molecular and Cellular Endocrinology 368:85-98 (2013) IF (2013): 4.241

INVITED REVIEW

90. A versatile method to design stem-loop primer-based quantitative PCR assays for detecting small regulatory RNA molecules

Czimmerer, Z., Hulvely, J., Simandi, Z., Varallyay, E., Havelda, Z., Szabo, E., Varga, A., Dezsó, B., Balogh, M., Horvath, B., Balint Domokos, B., Torok, Z., **Nagy, L.**, and Balint, B.L.

PLOS One 8(1) e55168 (2013) IF (2013): 3.534

91. Genome wide mapping reveals PDE4B as an IL-2 induced STAT5 target gene in activated human PBMCs and lymphoid cancer cells

Nagy, Z.S, Ross, J, Rodriguez, G., Balint L. B., Szeles, L., **Nagy, L.** and Kirken, R.A.

PLOS One 8(2) e57326 (2013) IF (2013): 3.534

92. The role of lipid-activated nuclear receptors in shaping macrophage and dendritic cell function - from physiology to pathology

Kiss, M., Czimmerer, Z. and **Nagy, L.**

Journal of Allergy and Clinical Immunology 132: (2) pp. 264-286. (2013) IF(2013): 11.248 INVITED REVIEW

93. Pro-inflammatory cytokines negatively regulate PPAR γ mediated gene expression in both human and murine macrophages via multiple mechanisms

Nagy, Z., Czimmerer, Z. and **Nagy, L.**,

Immunobiology 218: (11) pp. 1336-1344. (2013) IF (2013): 3.180

94. Peripheral blood derived gene panels predict response to infliximab in rheumatoid arthritis and Crohn's disease

Mesko, B., Poliska, S., Vánca, A., Szekanecz, Z., Palatka, K., Hollo, Z., Horvath, A., Steiner, L., Zahuczky, G., Podani, J., and **Nagy, L.**,

Genome Medicine 5: (59) pp. 1. (2013) IF (2013): 4.942 HIGHLY ACCESSED

The paper is featured on the cover of the journal.

95. Pharmacogenetics and pharmacogenomics in rheumatology

Szekanecz, Z., Mesko, B., Poliska, S., Vancsa, A., Szamosi, S., Vegh, E., Simkovics, E., Laki, J., Kurko, J., Besenyei, T., Mikecz, K., Glant, T. and **Nagy, L.**

Journal of Immunological Research 56: (2-3) pp. 325-333. (2013) IF (2013): 3.525 INVITED REVIEW

96. A novel method to predict regulatory regions based on histone mark landscapes in macrophages

Nagy, G., Daniel, B., Jonas, D., **Nagy, L.** and Barta, E.

Immunobiology 218: (11) pp. 1416-1427. (2013) IF (2013): 3.180

97. RDH10, RALDH2 and CRABP2 are required components of PPAR γ -directed all-trans-retinoic acid synthesis and signaling in human dendritic cells

Gyongyosi, A., Sztatmari, I., Pap, A., Dezsó, B., Pos, Z., Szeles, L., Varga, T. and **Nagy, L.**

Journal of Lipid Research 54: (9) pp. 2458-2474. (2013) IF (2013): 4.730

98. Hmgb1 can facilitate activation of the matrilin-1 gene promoter by Sox9 and L-Sox5/Sox6 in early steps of chondrogenesis

Szénási, T., Kénesi, E., Nagy, A., Molnár, A., Bálint, B., L., Zvara, A., Csabai, Z., Deák, F., Boros Oláh, B., Mátés, L., **Nagy, L.**, Puskás, G.L., Kiss, I.,

BBA- Gene Regulatory Mechanisms 1829: (10) pp. 1075-1091. (2013) IF (2013): 5.440

99. Reprogramming of lysosomal gene expression by interleukin-4 and Stat6.

Brignull, L.M., Czimmerer, Z., Saidi, H., Daniel, B., Villela, I., Bartlett, N.W., Johnston, S.L., Meira, L.B., **Nagy, L.**, Nohturfft, A.

BMC Genomics 14: Paper 853. (2013) IF (2013): 4.041

100. PPARy needs a helping hand to make fat

Cuaranta-Monroy, I., **Nagy, L.**

Cell Death and Differentiation 20: pp. 1599-1600. (2013) IF (2013): 8.385

101. Nuclear hormone receptors are powerful regulators of stem cell maintenance, differentiation, metabolism and function

Nagy Laszlo

Seminars in Cell and Developmental Biology 24:(10-12) p. 669. (2013) IF (2013): 5.971

102. Nuclear receptors as regulators of stem cell and cancer stem cell metabolism
Simándi, Z., Cuaranta-Monroy, I., **Nagy, L.**

Seminars in Cell and Developmental Biology 24:(10-12) pp. 716-723. (2013) IF (2013): 5.971

103. Tissue LyC6- macrophages are generated in the absence of circulating LyC6-monocytes and Nur77 in a model of muscle regeneration.

Varga, T., Mounier, R., Gogolak, P., Poliska, S., Chazaud, B., **Nagy, L.**

Journal of Immunology 191:(11) pp. 5695-5701. (2013) IF (2013): 5.362

2014

104. Ligand binding shifts highly mobile RXR to chromatin-bound state in a coactivator-dependent manner as revealed by single cell imaging.

Brazda, P., Krieger, J., Daniel, B., Jonas, D., Szekeres, T., Langowski, J., Toth, K., **Nagy, L.**, Vamosi, G.

Molecular and Cellular Biology 34:(7) pp. 1234-1245. (2014) IF (2013): 5.036

105. Highly efficient differentiation of embryonic stem cells into adipocytes by ascorbic acid

Cuaranta-Monroy, I., Simandi, Z., Kolostyak, Z., Doan Xuan Quang Minh, Poliska, S., Bacso, Z., **Nagy, L.**

Stem Cell Research 13: pp. 88-97. (2014) IF (2013): 3.912

106. The Active Enhancer Network Operated by Liganded RXR Supports Angiogenic Activity in Macrophages

Daniel, B., Nagy, G., Hah, H., Horvath, A., Czimmerer, Z., Poliska, S., Gyuris, T., Keirse, J., Gysemans, C., Ginderachter, J., Balint, B. L., Evans, R. M., Barta, E., **Nagy, L.**

Genes & Development 28:(14) pp. 1562-1577. (2014) IF (2013): 12.639

107. The intriguing complexities of mammalian gene regulation: How to link enhancers to regulated genes. Are we there yet?

Daniel, B., Nagy, G., **Nagy, L.**

FEBS Letters 588:(15) pp. 2379-2391. (2014) IF (2013): 3.341

108. PPARgamma-Mediated and Arachidonic Acid-Dependent Signaling is Involved in Differentiation and Lipid Production of Human Sebocytes.

Dozsa, A., Dezso, B., Toth, B.I., Bacsı, A., Poliska, S., Camera, E., Picardo, M., Zouboulis, C.C., Biro, T., Schmitz, G., Liebisch, G., Ruhl, R., Remenyik, E., **Nagy, L.**

Journal of Investigative Dermatology 134:(4) pp. 910-920. (2014) IF (2013): 6.372

Patents:

1. Compounds useful for the modulation of processes mediated by nuclear hormone receptors, methods for the identification and use of such compounds
ISSUED ON 5/14/2002 AS U.S. PATENT NO.6,387,673

2. Use of RAR antagonists as modulators of hormone mediated processes
ISSUED ON 8/20/2002 AS U.S. PATENT NO. 6,436,993

3. Treatment of disease states, which result from neoplastic cell proliferation using PPAR-gamma activators and compositions ISSUED ON 11/11/2003 U.S. PATENT NO.6,646,008

4. Methods for the use of inhibitors of co-repressors for the treatment of neoplastic diseases ISSUED ON 3/16/2004 US PATENT NO.6,706,762

5. *Novel use of PPAR-gamma modulators and professional APCs manipulated by the same Hungarian Patent Application (May 14th, 2003) P0301358, International PCT/IB2004/050707 (pending)International application number: WO 2004/101776 A3*

6. *Method for conferring cytoprotection Hungarian Patent Application P0600497 (June 19th, 2006) International PCT/HU2007/000055*

Dissertations :

1. Programmed cell death in malignant cell lines in vitro
Thesis for the degree of M.D. (in Hungarian)
University Medical School of Debrecen, Debrecen, Hungary (1989)
2. Retinoid regulated gene expression during differentiation and apoptosis,
Molecular analysis of the promoter of the mouse tissue transglutaminase gene
Thesis for the degree of Ph.D. in Medical Sciences (cell and molecular biology)
University Medical School of Debrecen, Debrecen, Hungary (1995)
3. Molecular mechanisms involved in nuclear hormone receptor action in health and
disease
Thesis for the Degree of Doctor of the Hungarian Academy of Sciences
University of Debrecen, Debrecen, Hungary (2004)